Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		"5890001".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 17:40
L2	22	(send\$3 or forward\$3 or transmit\$4) near3 ((malicious or fake or dummy) adj request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 17:56
13:	22	(send\$3 or forward\$3 or transmit\$4) near3 ((malicious or fake or dummy or repetitious) adj request\$1)	US-PGPUB; -USPAT; -USOCR; -EPO; JPO; -DERWENT; -IBM_TDB	OR .	OFF.	2005/01/27 18:02
L4	22	(send\$3 or forward\$3 or transmit\$4) near2 ((malicious or fake or dummy or repetitious) adj request\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 18:03
. L5	27544	709/223,224,226,227,229, 231;710/39,54;713/200,201 ccls. and (denial adj service adj attack\$1) or (doS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 18:06
L6	329	709/223,224,226,227,229, 231;710/39,54;713/200,201.ccls. and (denial adj service adj attack\$1) or (DoS) and (malicious or fake or dummy) adj request\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 18:07
L 7	35	709/223,224,226,227,229, 231;710/39,54;713/200,201 ccls. and ((denial adj service adj attack\$1) or (DoS) and ((malicious or fake or dummy) adj request\$1)).ab:	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 18:07

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
LT.	2	"5890001".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 17:40
L2	22	(send\$3 or forward\$3 or transmit\$4) near3 ((malicious or fake or dummy) adj request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 17:56
L3	22	(send\$3 or forward\$3 or transmit\$4) near3 ((malicious or fake or dummy or repetitious) adj request\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 18:02
L4		(send\$3 or forward\$3 or transmit\$4) near2 ((malicious or fake or dummy or repetitious) adj request\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 18:03
L5	27544	709/223,224,226,227,229, 231;710/39,54;713/200,201.ccls. and (denial adj service adj attack\$1) or (doS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 18:06
L6	329	709/223,224,226,227,229, 231;710/39,54;713/200,201.ccls. and (denial adj service adj attack\$1) or (DoS) and (malicious or fake or dummy) adj request\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 18:07
L7	35	709/223,224,226,227,229, 231;710/39,54;713/200;201.ccls. and ((denial adj service adj attack\$1) or (DoS) and ((malicious or fake or dummy) adj request\$1)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 18:07
S1	679	(back adj (log or queue))	US-PGPUB; USPAT	OR	OFF	2004/04/20 10:58
S2	125	"1" same request\$1	US-PGPUB; USPAT	OR	OFF	2004/04/20 10:59
S3	0	"2" same socket\$1	US-PGPUB; USPAT	OR	OFF	2004/04/20 10:59

S4	263	denial adj service adj attack	US-PGPUB; USPAT	OR	OFF	2004/04/20 11:00
S5	10	(denial adj service adj attack).ab.	US-PGPUB; USPAT	OR	OFF	2004/04/20 11:01
S6	33	(denial adj service adj attack\$1). ab.	US-PGPUB; USPAT	OR	OFF	2004/04/20 11:01
.S7	47	("5826014" "6061798" "6061798" "5751812" "5966372" "6282424" "6061341" "6247068" "5724355" "6175879" "5349642" RE37178 "6351810" "6026437" "6212565" "6212565" "5596745" "5774660" "5812784" "5916302" "5995610" "5014221" "5257374" "5682478" "5745754" "5898839" "6003085"	USPAT	OR	OFF	2003/07/25 09:38
		"6006264" "6070192" "6128657" "6141333" "6157927" "6182122" "6199107" "6272675" "6304576" "6343083" "6381627" "6438597" "6445707" "6446109" "6449647" "5265239" "6434141" "6061734" "6061734" "5941950" "5999941" "6427161" "5995939").pn.				
S8	1	"5905872".PN.	USPAT	OR	OFF	2003/07/25 09:44
S9	109832	client or user near2 request\$1	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 09:52
S10	61469	(client or user near2 request\$1) same server	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 09:54
S11	1632	((client or user near2 request\$1) same server) same queue	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 10:08
S12	91	(((client or user near2 request\$1) same server) same queue) same socket	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 14:40
S13	1	((client or user near2 request\$1) same server) same (backlog or back adj log) adj queue	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 10:09
S14	0	(((client or user near2 request\$1) same server) same queue) same Winsock adj module	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 10:10

S15	0	(((client or user near2 request\$1) same server) same queue) and Winsock adj module	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 10:10
S16	6	Winsock adj module	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 14:57
S17	983098	((backlog or back adj log) adj queue) same client or user	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 10:25
S18	69827	(((backlog or back adj log) adj queue) same client or user) same server	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 10:25
S19	2	((((backlog or back adj log) adj queue) same client or user) same server) same listen adj socket	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 10:25
S20	16	(backlog or back adj log) adj queue	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 14:55
S21	280	service adj attack	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 10:32
S22	O	(service adj attack) same ((backlog or back adj log) adj queue)	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 10:32
S23	0	listen adj socket same ((backlog or back adj log) adj queue)	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 10:33
S24:	O	listen adj socket and ((backlog or back adj log) adj queue)	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 10:33
⁻ S25	0	((backlog or back adj log) adj queue) and listen adj socket	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 10:33
S26	7	((backlog or back adj log) adj queue) and socket	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 12:52

S27	698165	(((client or user near2 request\$1) same server) same queue) same socket or port	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 10:34
S28	0.	((backlog or back adj log) adj queue) same ((((client or user near2 request\$1) same server)	US-PGPUB; USPAT; JPO;	OR	OFF	2003/07/25 10:34
		same queue) same socket or port)	DERWENT			
S29	9	((backlog or back adj log) adj queue) and ((((client or user near2 request\$1) same server) same queue) same socket or port)	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 10:36
S30	213	denial adj service adj attack	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 10:36
S31	22	(client or user near2 request\$1) same (denial adj service adj attack)	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 10:36
S32	1	((backlog or back adj log) adj queue).ab.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 11:52
S33	698164	listen near socket or port	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 11:52
S34	983707	(listen near socket or port) same client or user	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 11:53
S35	70487	((listen near socket or port) same client or user) same server	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 11:53
S36	1	(((listen near socket or port) same client or user) same server) same ((backlog or back adj log) adj queue)	US-PGPUB; USPAT; JPO; DERWENT	OR	:OFF	2003/07/25 14:54
S37	18287	DoS	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 12:00
S38	669	(DoS same (client or user near2 request\$1)) same (client or user near2 request\$1)	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 12:00

S39	381	(DoS same (client or user near2 request\$1)) same ((client or user near2 request\$1) same server)	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 12:02
S40 T	0	((DoS same (client or user near2 request\$1)) same ((client or user near2 request\$1) same server)) same ((backlog or back adj log) adj queue)	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 12:01
S41	1	((DoS same (client or user near2 request\$1)) same ((client or user near2 request\$1) same server)) and ((backlog or back adj log) adj queue)	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 12:01
S42	19	((DoS same (client or user near2 request\$1)) same ((client or user near2 request\$1) same server)) same ((((client or user near2 request\$1) same server) same queue) same socket or port)	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF.	2003/07/25 12:07
S43	2	socket adj flood\$3	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF .	2003/07/25 12:07
S44	1	socket adj flood\$3	US-PGPUB; USPAT	OR	OFF	2003/07/25 12:08
S45	16121	denial adj of adj service adj attack\$1 or DoS	US-PGPUB; USPAT	OR ·	OFF	2003/07/25 12:08
S46	662	(denial adj of adj service adj attack\$1 or DoS) same (client or user near2 request\$1)	US-PGPUB; USPAT	OR	OFF	2003/07/25 12:09
S47	377	((denial adj of adj service adj attack\$1 or DoS) same (client or user near2 request\$1)) same ((client or user near2 request\$1) same server)	US-PGPUB; USPAT	OR	OFF	2003/07/25 12:09
S48	0	(((denial adj of adj service adj attack\$1 or DoS) same (client or user near2 request\$1)) same ((client or user near2 request\$1) same server)) same ((backlog or back adj log) adj queue)	US-PGPUB; USPAT	OR	OFF	2003/07/25 12:09

S49	0	((((denial adj of adj service adj attack\$1 or DoS) same (client or user near2 request\$1)) same ((client or user near2 request\$1) same server)) same ((((client or user near2 request\$1) same server) same queue) same socket or port)) and ((backlog or back adj log) adj queue)	US-PGPUB; USPAT	OR	OFF	2003/07/25 12:09
S50	19	(((denial ad) of ad) service ad) attack\$1 or DoS) same (client or user near2 request\$1)) same ((client or user near2 request\$1) same server)) same ((((client or user near2 request\$1) same server) same queue) same socket or port)	US-PGPUB; USPAT	OR	OFF	2003/07/25 12:10
S51	1100	SSL same (client or user near2 request\$1)	US-PGPUB; USPAT	OR	OFF	2003/07/25 12:11
S52	898	(SSL same (client or user near2 request\$1)) same ((client or user near2 request\$1) same server)	US-PGPUB; USPAT	OR	OFF	2003/07/25 12:11
S53	0	((SSL same (client or user near2 request\$1)) same ((client or user near2 request\$1) same server)) same ((backlog or back adj log) adj queue)	US-PGPUB; USPAT	OR	OFF	2003/07/25 12:11
S54	5	((SSL same (client or user near2 request\$1)) same ((client or user near2 request\$1) same server)) and ((backlog or back adj log) adj queue)	US-PGPUB; USPAT	OR	OFF	2003/07/25 12:12
S55	0	monitor\$3 near (backlog or back adj log)adj queue	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 12:56
S56	O	monitor\$3 near3 (backlog or back adj log)adj queue	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 12:57
S57	0	prevent\$3 near3 socket adj flood\$3	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2003/07/25 12:57